









Locking down Exchange Server: Security enhancements in Exchange 2003 SP2

E-mail Security Webcast Series: Part 4 of 5

Speaker: Lee Benjamin



LeeB@ExchangeGuy.com













Service Pack 2 for Exchange 2003

- **Exchange Standard Edition Database Size 75 GB**
 - **How Long to Back That Up?**
- Intelligent Message Filter (IMF) Built-In
- Anti-Phishing in Outlook Client and IMF
- **Mobile Improvements**
 - **Push Email (Like Blackberry)**
 - **Security Enhancements**
 - **Treo running Windows Mobile!!**
- SenderID












SenderID

- Is the Original Sending IP Address a Valid SMTP Sender for the Registered Domain
- If Message Header Says From Microsoft.com
- Then Lookup Valid SMTP Senders in Microsoft.com External DNS?
- Is Sending IP on That List?
 - Yes, Deliver the Email
 - No- Most Likely Spam, Delete or Archive The Message
 - Configurable Response If No SPF Record
- **SPF, What's That?**
 - SenderID is Merger of CallerID and Sender Policy Framework
- **Royalty-Free Sender ID for E-mail License Agreement**



Media Sponsors: Osearch














SenderID Filtering in Exchange 2003 Service Pack 2

I <u>P</u> address:	192.168.1.3
ICP port:	25
✓ Apply Sender Filte	r
Apply Recipient Fi	lter 🔽 Apply Intelligent Message Filter
Apply Connection	Filter











SPF Record

- **DNS TXT Record**
 - TXT is Rarely Used DNS Record Type
- Add to You Public DNS (External Facing)
- v=spf1 mx ip4:207.172.210.196 mx:exchangeguy.com ~all
- Help Building...
 - http://www.microsoft.com/senderid/
 - Link To Sender ID Framework SPF Record Wizard
 - http://anti-spamtools.org

Microsoft estimates 25% Inbound to Hotmail is using SPF/SenderID (June 2005)













SP2 Mobile Security

- Secure MIME on Mobile Devices
 - Already SSL Today
- **Exchange Policy Password Enforcement**
- **Remote Wipe of Devices**
- Wireless to Desktop ActiveSync Removed
- Must Use Exchange-ActiveSync














Mobile security in Exchange 2003 Service Pack 2

✓ Minimum password length (characters):	
Require both numbers and letters	
▼ Inactivity time (minutes):	
▼ <u>Wipe device after failed (attempts):</u>	
Refresh settings on the device (hours):	
Allow access to devices that do not fully suppor settings	t password
ecify an exception list of users that are tempt from the setting enforcement	E <u>x</u> ceptions











Resources

- **Exchange Team Blog**
 - http://blogs.technet.com/exchange
- **Exchange Best Practices Analyzer**
 - http://www.exbpa.com
- **Exchange Server 2003 Technical Documentation Library**
 - http://www.microsoft.com/technet/prodtechnol/exchange/2003/library/default.mspx
 - Message Security Guide for Exchange Server 2003
 - **Ten Additional Exchange Security Documents**
- **Exchange Virtual Labs**
 - Web-based Access To Labs
- **Utilities and Add-On Products**
 - http://www.Slipstick.com
- **TechTarget Articles**
 - http://www.SearchExchange.com













Thanks!



LeeB@ExchangeGuy.com www.ExchangeGuy.com



www.ExchangeServerBoston.com